



...meeting the needs of farmers

VACCINATION & MEDICATION PROGRAM FOR BROILERS

AGE	VACCINE	ROUTE
DAY 1	TONIC, GLUCOSE	ORAL
DAY 2 to 6	ANTIBIOTICS, TONIC, GLUCOSE	ORAL
DAY7	1 st IBD GUMBORO, TONIC, GLUCOSE	ORAL
DAY9	1 st ND LASOTA	ORAL
DAY 12	COCCIDIOSTAT 1 (e.g. Kepcox)	
DAY17	2 nd IBD GUMBORO	ORAL
DAY19	2 nd LASOTA	ORAL
DAY27	3 rd IBD GUMBORO	ORAL
DAY 28	COCCIDIOSTAT II (e.g. Embazin Forte)	ORAL
DAY31	3 rd LASOTA	ORAL
DAY 33 -37	ANTIBIOTICS FOR 5 DAYS (e.g. Enrovet or Ciprovet)	ORAL
DAY42	DEWORM (e.g. Kepromec)	ORAL
DAY 44	COCCIDIOSTAT III (e.g. Vitacox)	ORAL
WEEK7	FOWL POX	Wingweb

Notes

- You will need a veterinarian to help you with the vaccination
- You only need to give fowl pox vaccine in cases where the birds will be staying on your farm for greater than 8 weeks.
- Give anti-stress (vitamins) in water on arrival and throughout the day of arrival to relieve them of stress of transportation
- Start antibiotics (e.g. enrofloxacin) for the next 5 days.
- Ensure they eat enough feed and water daily.
- Vaccinate them regularly according to the schedules recommended
- Give them multivitamins before or after vaccination
- Drugs can be given to them after the day of vaccination, but not on the day of vaccination

Disclaimer: This is only a guide to ensure you do not miss any important vaccination or medication.